

Millersville University
Department of Mathematics

Name _____

MATH 365, *Ordinary Differential Equations*, Test 1
February 11, 2009

Please answer the following questions. Show all work and write neatly. Answers without justifying work will receive no credit. Partial credit will be given as appropriate, do not leave any problem blank. The point values of problems are indicated in parentheses.

1. (12 points each) Solve each of the following ODEs or IVPs.

(a) $\frac{dy}{dt} = ty^3(1+t^2)^{-1/2}, \quad y(0) = 1$

(b) $t\frac{dy}{dt} - y = t^2e^{-t}$

$$(c) \frac{dy}{dt} = -\frac{3t + ty^2}{2y + t^2y}$$

$$(d) (ty^2 - 1) dt + (t^2y - 1) dy = 0$$

2. (12 points) A tank with a volume of 10 liters initially contains water and 20 grams of dissolved salt. A solution of water containing 10 grams of salt per liter flows into the tank at a rate of 2 liters per minute and a well-mixed solution of water and salt flows out of the tank at the same rate. Find the concentration of salt in the tank after 3 minutes.

3. (10 points) Let $y(t) = c_1 t + c_2 \left(1 + \frac{t}{2} \ln \frac{1-t}{1+t}\right)$ and show that y solves the ODE below. The expressions c_1 and c_2 are constants.

$$(1 - t^2)y'' - 2ty' + 2y = 0.$$

4. (14 points) Use the method of successive approximations to find the first four terms in the sequence of successive approximations to the solution of the initial value problem:

$$\begin{aligned}\frac{dy}{dt} &= -y + 1 \\ y(0) &= 0.\end{aligned}$$

5. (8 points each) The Schaefer model of a population of fish subject to harvesting by commercial fishing is

$$\frac{dy}{dt} = ry \left(1 - \frac{y}{K} \right) - Ey$$

- (a) Suppose that r , K , and E are positive constants and $E < r$. Determine all the equilibria for the Schaefer model.

- (b) Classify each equilibrium as stable or unstable.